

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

6/15




FIG. 6

7/15




FIG. 7

[illegible]

**FIG. 8**



133

**Device Records**

|     |   |     |                   |
|-----|---|-----|-------------------|
| 210 | Device ID No.: ____                                   | 182 | Location ID: ____ |
| 211 | Part Corresponding to a Network Infrastructure Device |     |                   |
| 212 | NIC No.   |     |                   |
| 214 | Device Type   |     |                   |
| 216 | Manufacturer  |     |                   |
| 218 | Model   |     |                   |
| 220 | Memory  |     |                   |
| 222 | Disk Space  |     |                   |
| 224 | Attached Devices                                      |     |                   |
| 226 | Installed Software                                    |     |                   |
| 228 | Hardware Nomenclature                                 |     |                   |
| 227 | Registration Status                                   |     |                   |
| 229 | Last Updated  |     |                   |
| 230 | Other   |     |                   |

FIG. 9

10/15

135

| Part ID No. | Location ID |
|-------------|-------------|
|             |             |
|             |             |
|             |             |
|             |             |
|             |             |

210

182

242

The diagram shows a table with two columns: 'Part ID No.' and 'Location ID'. The table is labeled with 135 at the top left, 210 above the first column header, and 182 above the second column header. The table has five rows in total, with the first four rows being empty and the fifth row being a large empty cell. A bracket labeled 242 points to the first four rows of the table.

FIG. 10




FIG. 11




FIG. 12




FIG. 13

14/15




FIG. 14




FIG. 15